



ELECTRIC MOTORS

PULLEYS

BEARINGS

SPROCKETS

BELTS

SWITCHES

BRACKETS

LOCKS &

MORE....

# DOOR PARTS

C A T A L O G



UP

STOP





## WE'VE EARNED OUR WINGS IN AIRCRAFT HANGARS AND DOORS...

In our rapidly growing "air mobile" society, airport space is always at a premium. The protection and security of expensive aircraft is always a consideration. That's why airport managers and fixed base operators (FBO's) everywhere are constantly seeking structures and systems that offer them flexibility, dependable, reliable service, low maintenance and competitive costs. At Erect-A-Tube, Inc., we have built our reputation by providing just those elements in design, development and construction of our aircraft hangars and hangar door systems.

**BI-FOLD MULTI UNIT**



**SMALL BOTTOM ROLLING DOOR**



**SLIDING DOOR HANGARS—MULTI UNIT**



Hangar design is truly controlled by your particular circumstance. There are literally dozens of possible configurations available to you. Call an Erect-A-Tube design expert today. Put our experience and versatility to work on your project.

P.O. Box 100 • Harvard, Illinois, 60033  
 (815) 943-4091 or 1-800-624-9219 or FAX 815-943-4095  
[www.erect-a-tube.com](http://www.erect-a-tube.com) or e-mail [hangars@erect-a-tube.com](mailto:hangars@erect-a-tube.com)





**ELECTRIC BRAKE MOTORS-115/230 VOLT  
SINGLE-PHASE**

- 20991** 3/4 h.p. C-face with base brake motor
- 21133** 1 h.p. C-face with base brake motor
- 15403** 1 1/2 h.p. with base brake motor
- 15417** 3 h.p. with base brake motor
- 20596** 5 h.p. with base brake motor

**ELECTRIC MOTORS-230/460 VOLT-3 PHASE**


- 20595** 5 h.p. with base brake motor

**ELECTRIC DOUBLE C BRAKE**

- 20637** 3 lb. electric brake
- 20637C** Coil for 3 lb. brake


**ELECTRIC MOTOR-115/230 VOLT  
BASE MOUNT SINGLE-PHASE**

- 20998** 3/4 h.p. base mount-fan cooled



- 6591** Euclid hollow shaft 150-1

**GEARBOX**



**20585**

**DURST GEARBOX A-21**

- 20585** Durst A-21 -1" input; 1" output

**DURST GEARBOX A-26**

- 20586** Durst A-26 -8" input; double output
- 10033** Durst A-26 -4" input; double output




**10009**

**DAYTON GEARBOX C-FACE**

- 10009** Dayton C-face double output 50-1

## BELTS AND CHAINS



21012  
20610  
20792



- 21247** 4L-400 "V" belt-41" long
- 21012** 4L-530 "V" belt-53" long
- 20610** 5L-460 "V" belt-46" long
- 20792** 660H - 100 positive drive belt
- 21071** 27" #50 roller chain with connector link
- 20453** 32" #50 roller chain with connector link
- 21348** 32" #60 roller chain with connector link

## PULLEYS



20464

- 21030** 3 1/2" O.D. x 5/8" I.D. bore, "A-B" width
- 20466** 4" O.D. x 5/8" I.D. bore, "B" width
- 20464** 8" O.D. x 1" I.D. bore, "B" width-Single groove
- 20809** 4" O.D. x 1 3/8" I.D., "B" width-Double groove
- 21229** 5" O.D. x 5/8" I.D. bore, "A-B" width
- 20490** 5" O.D. x 1 5/8" I.D. bore, "B" width-Double groove
- 20489** 9 3/4" O.D. x 1" I.D., "B" width-Double groove
- 20768** 4" O.D. x 1/2" I.D. x 1" wide Idler
- 20812** 8" O.D. x 1" I.D. x 1" positive drive

## BEARINGS



**20189**  
(1" DIA.)



**21245**



**21246**


- 21245** 1/4" I.D. bearing with eccentric lock
- 21246** Flangette MST 62 for above bearing
- 20189** 1" I.D. bearing with eccentric lock  
-2 hole cast
- 20347** 1 1/4" I.D. bearing with eccentric lock  
-2 hole cast

## SPROCKETS



- 20661** #50 11-tooth sprocket-1" I.D.
- 20465** #50 15-tooth sprocket-1 1/2" I.D.
- 20600** #50 30-tooth sprocket-1 1/4" I.D.
- 21340** #60 13-tooth sprocket-1 1/2" I.D.
- 21341** #60 26-tooth sprocket-1 1/4" I.D.

## CONTACTOR BOX




- 6698** Complete contactor box unit  
**A: 21362** Contactor Box  
**B: 21360** 24/240v transformer  
**B: 21364** 24/120v transformer  
**C: 21358** GE reversing contactor

## PUSH BUTTON SWITCHES



- 20188** 3 button, 3 pole, manual (G.E. & C.H.)  
**21339** Kanematsu - Gosho momentary




- 21367** 9 amp Allen-Bradley reversing contactor



- 20172** 1/2" I.D. - 1 piece coupler

## LIMIT AND SAFETY SWITCHES



- 21360** 240/24 volt transformer  
**20649** 20-1 limit switch  
**20173** 80-1 limit switch  
**20663** Micro switch for limit switch  
**20657** Mercury switch  
**21011** Safety switch with roller  
**10159** Safety switch for cam lock kit - consists of two-21011 switches, brackets and electrical wires.  
**21360** 240/24 volt transformer  
**16096** Safety over-run switch

## BOTTOM OPERATOR DRUMS



### BOTTOM OPERATOR DRUMS

- 20185** 2 1/2" O.D. grooved left side
- 20186** 2 1/2" O.D. grooved right side  
-Turned for flexible connector
- 20967** 3" O.D. grooved left side
- 20966** 3" O.D. grooved right side  
-Turned for flexible connector
- 21295** 3" O.D. smooth left side
- 21294** 3" O.D. smooth right side  
-Turned for coupler
- 21369** 2 1/2" O.D. smooth left side
- 21368** 2 1/2" O.D. smooth right side  
-Turned for coupler



### SINGLE-DRUM 4-CABLE LIFT

- 15958** 12" Drum, 1" shaft, 19 1/8" long
- 20186** 14" Drum, 1 1/4" shaft, 21 7/8" long  
with 30-tooth sprocket
- 16161** 14" Drum, 1 1/4" shaft, 23 1/8" long  
with keyway and hole for rotation  
switch shaft

### DRUMS FOR 2 AND 4 DRUM POWERHEADS

- 20462** 14" Drum, 1 1/4" shaft, 22" shaft,  
30-tooth sprocket
- 20461** 15" Drum, 1 1/4" shaft, 22 5/8" shaft  
30-tooth sprocket
- 20488** 14" Drum, 1 1/4" shaft, 29" shaft, 1/4"  
keyway, 30-tooth sprocket
- 20487** 15" Drum, 1 1/4" shaft, 29 1/2" shaft  
1/4" keyway, 30-tooth sprocket
- 21349** 14" Drum, 1 1/4" shaft, 29" shaft  
1/4" keyway, 26-tooth sprocket
- 21350** 15" Drum, 1 1/4" shaft, 29 1/2" shaft  
1/4" keyway, 26-tooth sprocket

### 4 DRUM


- 20343** 15" Drum, 1 1/4" shaft, 22" shaft,  
30-tooth sprocket
- 20344** 14" Drum, 1 1/4" shaft, 22" shaft,  
30-tooth sprocket
- 21346** 15" Drum, 1 1/4" shaft, 29 1/2" shaft,  
26-tooth sprocket
- 21346** 14" Drum, 1 1/4" shaft, 29 1/2" shaft,  
26-tooth sprocket

## CABLES AND CABLE HARDWARE



- 20238** 5/32" Cable assembly
- 20738** 3/16" Cable assembly
- 20735** 1/4" Cable assembly
- 20744** 3/8" Eye bolt
- 20556** 1/2" Eye bolt
- 20584** 1/4" Cable without sleeves
- 20571** 3/16" Cable without sleeves
- 20583** 5/32" Cable without sleeves
- 20550** 1/4" Wire rope clip
- 20236** 3/16" Wire rope clips
- 20613** 1/4" Nicropress sleeve
- 20605** 3/16" Nicropress sleeve
- 20235** 5/32" Nicropress sleeve
- 20551** 1/4" Cable thimble
- 20237** 3/16" Cable thimble

## GUIDE ROLLERS



- 21033** Small guide roller with  
1" axle and 3" roller
- 21029** Large guide roller with 2"  
axle and 4" roller
- 21057** Large guide roller with 2"  
axle and (2) 4" rollers



16559



21239


21240

- 16560 20" Door popper
- 16559 14" Door popper
- 21240 Door popper plate
- 21239 Door popper bracket

## STEEL CABLE SHEAVE WHEEL


21301

21554




- 20301 5 5/8" regular duty, 1/2" bore pulley
- 21544 5" heavy duty, 3/8" bore pulley


## CAMLOCKS AND RECEIVERS (left and right from inside door)



15014



15847



20704

20046

- 15423 Large camlock-left hand over 50'
- 15424 Large camlock-right hand over 50'
- 15015 Small camlock-left hand under 50' door
- 15014 Small camlock-right hand under 50' door
- 20046 L-H Receiver
- 20011 R-H Receiver
- 20704 Channel type universal receiver
- 15847 Large right-hand camlock with Mercury switch
- 15848 Large left-hand camlock with Mercury switch

## COLUMN FOLLOWER



- 15329** Column Follower-small  
**20382** Column Follower-large

## BOTTOM ROLLER




- 16411** 8" bottom roller assembly  
**16491** Wheel alone

## "T" TRACK



- 21660** Aluminum extrusion "T" track  
**21485** Aluminum extrusion "T" track

## SHEAVE HANGER BRACKETS




- 20423** Sheave hanger with guard  
**20707** Sheave hanger  
**20695** Sheave hanger with spring  
**16220** Double sheave hanger assembly

## HINGES AND PINS

- 20261** Single hinge curl  
**20021** Punch hinge, 10" long, 2 curls  
**20022** 10" long hinge, 3 curl  
**20003** 1/2" x 12" hinge pin  
**20288** 1/2" x 7" hinge pin  
**20319** 5/8" x 9 5/8" hinge pin  
**20640** 5/8" x 12" hinge pin  
**20317** 5/8" x 18 1/8" hinge pin  
**20736** 1" x 18" hinge pin

## TOP ROLLER ASSEMBLY



- 16407** Top roller assembly  
**21487** 2" Top roller alone  
**16416** Center door latch

## STEEL, WHITE DOOR LEAF



- 21092** 2'-8" wide x 6'-0" high, metal leaf door
- 21812** 3'-0" wide x 6'-0" high, metal leaf door with frame
- 21814** 3'-0" wide x 7'-0" high, metal leaf door with frame
- 15952** 2'-8" wide x 6'-0" high, frame (fits No. 21092 leaf)

## DOOR LOCKS AND HARDWARE



- 21087** Walk door lock set
- 21088** Hinge for walk door
- 20587** Locking "T" handle
- 20588** Inside handle
- 20589** Slamming lock with reverse bolt and light spring
- 16164** Door pull



## ASTRAGALS



- 21022** 14" astragal
- 20647** 16" astragal
- 20954** 8" astragal
- 21176** 6" wide astragal 3/16" thick
- 20906** 6" wide astragal 1/16" thick
- 16348** 1" x 48" galvanized astragal strip

## B.O.D. GEARBOX SLANT ASSEMBLY



- 6232** 21/2" diameter smooth drum
- 6220** 3" diameter smooth drum




**16518**

### SAFETY SHIELDS

- 16523** Type C (3' long single shield)
- 16504** Type E (Large BOD 4' long single shield)
- 16518** Type A (Small BOD-2 shields)

## DOUBLE DRUM ASSEMBLY



**5136-1.5**


- 5136-1.5** 1 1/2 h.p. double drum, complete assembly with electrical
- 5136-1.5LE** 1 1/2 h.p. double drum, complete assembly w/o electrical
- 5136-3** 3 h.p. double drum, complete assembly with electrical
- 5136-3LE** 3 h.p. double drum, complete assembly w/o electrical

## SINGLE DRIVE DRUM ASSEMBLY



- 6700** Direct drive powerhead with electrical
- 6700LE** Direct drive powerhead w/o electrical

## FOUR DRIVE DRUM ASSEMBLY



- 5822** Four drum powerhead with electrical
- 5822LE** Four drum powerhead w/o electrical

As specialists in Aircraft Storage Facilities for General Aviation, our experience will be of value to you during the planning and design phase of your next hangar.

As always, our Electric Bi-Fold Door Systems are the answer to aircraft hangar doors. Our line of doors and complete endwall systems are compatible with all metal building systems, and we also manufacture large bottom-rolling doors.

### Talk with ERECT-A-TUBE...

...for an Update on the Products and Services We Offer General Aviation Today.



P.O. Box 100 • Harvard, Illinois, 60033  
(815) 943-4091 or 1-800-624-9219  
FAX 815-943-4095  
[www.erect-a-tube.com](http://www.erect-a-tube.com)