

AIRCRAFT SIZE CHART

MANUFACTURER	AIRCRAFT MODEL		AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
AASI JETCRUZER	500		42.20	10.50	34.40
AERONCA	15 AC SEDAN		37.50	10.25	25.25
AERONCA	11 CC SUPER CHIEF		36.00	8.75	20.70
AERONCA	7 CCM		35.00	8.75	21.50
AERONCA	7DC CHAMP		35.00	8.75	21.50
AERONCA	11AC CHIEF		36.10	8.75	20.75
AEROSPATIAL	SN 601 CORVETTE		42.25	13.90	45.45
AEROSPATIAL	330 PUMA	HELICOPTER	36.00	16.10	61.45
AEROSPATIAL	341 GAZELL	HELICOPTER	34.50	10.25	39.00
AEROSPATIAL	350 ECUREUIL	HELICOPTER	35.10	10.10	42.75
AEROSPATIAL	365 DAUPHIN	HELICOPTER	39.00	13.00	44.00
AEROSPATIAL	SOCATA TRINDAD		32.10	9.50	25.50
AEROSPATIAL	TBM 700		40.00	13.10	34.10
AIRCOUPE-AL	A-2		30.00	5.10	20.25
AIRCOUPE-AL	F-1		30.00	6.25	20.10
AIRCOUPE-AL	415-G		30.00	6.25	20.10
AIR TRACTOR	AT-402		49.25	11.25	30.60
AIR TRACTOR	AT-402A/402B		51.00	9.50	30.50
AIR TRACTOR	AT-502		52.00	10.25	33.25
AIR TRACTOR	AT-502B		52.00	10.25	33.25
AIR TRACTOR	AT-602		56.00	11.00	33.50
AIR TRACTOR	AT-802/802A		59.25	11.00	35.75
AIR TRACTOR	AT802F		59.25	11.25	37.50
AYRES-THRUSH	S-2D AG COMMANDER		44.25	8.75	29.25
AYRES-THRUSH	S-2R-600/PZL		44.30	9.20	29.25
AYRES-THRUSH	S-2R-800/THRUSH		44.30	9.20	29.25
AYRES-THRUSH	S-2R-T34-TURBO		44.50	9.20	33.00
AYRES-THRUSH	S-2R-1820/51031.5		44.50	9.70	31.50
BEAGLE	B206-S TURBO CHG TWIN		45.75	11.30	33.75
BEECHCRAFT	MODEL 400		43.50	13.80	48.80

BEECHCRAFT	400A		43.50	13.80	48.50	
BEECHCRAFT	DIAMOND IA		43.50	13.80	48.80	
BEECHCRAFT	STAR SHIP I		54.50	13.00	46.10	
BEECHCRAFT	1900 KING AIR EXEC.		54.50	15.00	57.80	
BEECHCRAFT	B300/350 SUPER KING		58.00	14.50	46.75	
BEECHCRAFT	300 SUPER KING AIR		54.50	15.00	43.80	

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.
 VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.

PAGE 1

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
BEECHCRAFT	B200C	54.50	14.00	43.80
BEECHCRAFT	B200 SUPER KING AIR	54.50	15.00	43.75
BEECHCRAFT	B100 KING AIR	46.00	15.50	40.00
BEECHCRAFT	A100 KING AIR	46.00	15.50	40.00
BEECHCRAFT	100 KING AIR	45.80	15.40	39.75
BEECHCRAFT	B99 AIRLINER	46.00	14.25	44.75
BEECHCRAFT	99A AIRLINER	46.00	14.25	44.75
BEECHCRAFT	99. AIRLINER & EXEC.	46.00	14.25	44.75
BEECHCRAFT	F90 KING AIR	46.00	15.10	39.80
BEECHCRAFT	E90 KING AIR	50.25	14.25	35.50
BEECHCRAFT	C90 KING AIR	50.25	14.25	35.50
BEECHCRAFT	B90 KING AIR	50.25	14.75	36.50
BEECHCRAFT	A90 KING AIR	45.10	14.75	35.50
BEECHCRAFT	90 KING AIR	45.10	14.75	35.50
BEECHCRAFT	88 QUEEN AIR	50.25	14.25	35.50
BEECHCRAFT	B80 QUEEN AIR	50.25	14.75	35.50
BEECHCRAFT	A80 QUEEN AIR	50.25	14.25	35.50
BEECHCRAFT	70 QUEEN AIR	50.30	14.25	35.50
BEECHCRAFT	A65 QUEEN AIR	46.00	14.25	35.50
BEECHCRAFT	65 QUEEN AIR	46.00	14.10	33.25
BEECHCRAFT	B60 DUKE PRESSURIZED	39.30	12.30	33.80

BEECHCRAFT	A60 DUKE PRESSURIZED	39.30	12.30	33.80
BEECHCRAFT	60 DUKE PRESSURIZED	39.30	12.30	33.80
BEECHCRAFT	H18 SUPER TWIN BEECH	49.75	9.30	35.25
BEECHCRAFT	G18 SUPER TWIN BEECH	49.50	9.50	35.25
BEECHCRAFT	E18 SUPER TWIN BEECH	47.75	9.25	33.10
BEECHCRAFT	D18 SUPER TWIN BEECH	47.75	9.25	33.10
BEECHCRAFT	HJ 50 TWIN BONANZA SUP	45.75	11.50	31.50
BEECHCRAFT	E.F.G. 50 TWIN BONANZA	45.75	11.50	31.50
BEECHCRAFT	C50 TWIN BONANZA	45.20	11.50	31.50
BEECHCRAFT	50 TWIN BONANZA	45.20	11.50	31.50
BEECHCRAFT	58 P BARON	37.75	9.20	30.00
BEECHCRAFT	58 TC BARON 325	37.80	9.20	29.90
BEECHCRAFT	58 BARON	37.80	9.50	29.90
BEECHCRAFT	A56TC BARON	37.80	9.25	29.00
BEECHCRAFT	56TC BARON	37.80	9.60	28.25
BEECHCRAFT	E50 BARON	37.80	9.20	29.00
BEECHCRAFT	C55 D55 BARON	37.80	9.60	28.25
BEECHCRAFT	B55 BARON 73 AND UP	37.87	9.60	28.00
BEECHCRAFT	B55 BARON	37.80	9.70	27.00
BEECHCRAFT	A55 BARON	37.70	9.60	26.50
BEECHCRAFT	55 BARON	37.70	9.50	25.60
BEECHCRAFT	E95 TRAVEL AIR	37.10	9.50	25.10
BEECHCRAFT	B95A, D95A TRAVEL AIR	37.10	9.50	25.25

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.

VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.

PAGE 2

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
BEECHCRAFT	95, B95 TRAVEL AIR	37.75	9.50	25.25
BEECHCRAFT	76 DUCHESS	38.00	9.50	29.00
BEECHCRAFT	A36 TC BONANZA	33.50	8.50	27.50
BEECHCRAFT	A36 BONANZA	33.50	8.50	27.50

BEECHCRAFT	36 BONANZA	33.50	8.50	26.40
BEECHCRAFT	V35A & B-TC BONANZA	33.50	6.50	26.40
BEECHCRAFT	V35B BONANZA	33.50	7.65	26.50
BEECHCRAFT	V35A BONANZA	33.50	6.50	26.40
BEECHCRAFT	V35 TC BONANZA	33.50	6.50	26.40
BEECHCRAFT	V35 BONANZA	33.50	6.50	26.40
BEECHCRAFT	S35 BONANZA	33.50	6.50	26.40
BEECHCRAFT	N.P. BONANZA	33.50	6.50	25.20
BEECHCRAFT	K.M. BONANZA	33.50	6.50	25.10
BEECHCRAFT	J35 BONANZA	32.75	6.50	25.10
BEECHCRAFT	H35 BONANZA	32.75	6.50	25.10
BEECHCRAFT	E.F.G. 35 BONANZA	32.75	6.50	25.10
BEECHCRAFT	C.D. 35 BONANZA	32.75	6.50	25.10
BEECHCRAFT	AB 35 BONANZA	32.75	6.50	25.10
BEECHCRAFT	35 BONANZA	32.75	6.50	25.10
BEECHCRAFT	G33 BONANZA	32.75	8.25	25.50
BEECHCRAFT	F&E 33C BONANZA CONV.	32.75	8.25	25.50
BEECHCRAFT	F33A	33.50	8.25	26.70
BEECHCRAFT	E33A BONANZA CONV TAIL	32.80	8.25	25.50
BEECHCRAFT	F&E BONANZA CONV TAIL	32.80	8.25	25.50
BEECHCRAFT	C33A DEBONAIR	32.80	8.25	25.50
BEECHCRAFT	C33 DEBONAIR	21.80	8.25	25.50
BEECHCRAFT	AB33 DEBONAIR	32.80	8.25	25.50
BEECHCRAFT	33 DEBONAIR	32.70	8.25	25.50
BEECHCRAFT	C24 SIERRA 200	32.75	8.10	25.75
BEECHCRAFT	B24 SIERRA 200	32.75	8.25	25.70
BEECHCRAFT	A24R SIERRA RG	32.75	8.25	25.70
BEECHCRAFT	SUPER III MUSKETEER	32.60	8.20	25.10
BEECHCRAFT	C23 SUNDOWNER	32.75	8.25	25.75
BEECHCRAFT	CUSTOM III MUSKETEER	32.60	8.20	25.10
BEECHCRAFT	A23 A23A MUSKETEER	32.60	8.20	25.10
BEECHCRAFT	23 MUSKETEER	32.60	8.20	25.10
BEECHCRAFT	B19 SPORT 150	32.75	8.25	25.75
BEECHCRAFT	A23-19 SPORT III MUSKETR	32.60	8.20	25.10
BEECHCRAFT	SKIPPER	30.00	7.00	24.00
BELLANCA	ARIES T-250	31.30	8.60	26.20
BELLANCA	17-31 ATC TURBO 300 LY	34.20	7.30	26.30
BELLANCA	17-31 A	34.20	7.30	26.30
BELLANCA	17-31 TC SUPER VIKING	34.20	7.30	23.60

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.
 VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.

PAGE 3

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
BELLANCA	17-30A	34.20	7.30	26.30
BELLANCA	17-30A 300 CONT.	34.20	7.30	26.30
BELLANCA	17-30-300 VIKING CONT.	34.20	7.50	23.60
BELLANCA	14-19-3A. 260 A.B.C.	34.20	6.50	23.50
BELLANCA	14-19-2 CRUISEMASTER	34.20	6.20	22.75
BELLANCA	14-19 CRUISEMASTER	34.20	6.20	23.00
BELLANCA	14-13 CRUISEMASTER SR	34.20	6.20	21.20
BELLANCA	7 ECA CITABRIA	33.45	7.70	22.70
BELLANCA	7GCAA CITABRIE	33.50	7.70	22.70
BELLANCA	7GCBC CITABRIE	34.50	7.70	22.70
BELLANCA	7GCBC CITABRIE W/FLOAT	34.50	9.66	22.70
BELLANCA	7KCAB CITABRIA	33.45	7.70	22.70
BELLANCA	8GCBC SCOUT	26.20	8.70	22.80
BELLANCA	8KCAB-180 DECATHION	32.00	7.70	22.90
BELLANCA	8KCAB-150 DECATHION	32.00	7.70	22.90
BELLANCA	7ACA CHAMPION	35.10	7.00	21.90
BRITISH AER	HS125-700A	47.00	17.60	50.75
BRITISH AER	BH-125-600	47.00	17.25	50.50
BRITISH AER	BH-125-400A	47.00	16.50	47.45
BRITISH AER	DH-125-3A-RA	47.00	16.50	47.45
CANADAIR CH	CL600 & 601	61.85	20.70	68.50
CESSNA	CITATION I	47.10	14.25	43.50
CESSNA	CITATION 550 SII	52.25	15.00	47.25
CESSNA	CITATION III	53.50	16.80	53.50
CESSNA	CITATION ULTRA	48.90	15.00	48.85
CESSNA	CITATION XLS+	56.30	17.20	52.50
CESSNA	CITATION CJ1	47.00	13.75	42.55
CESSNA	CITATION MUSTANG (510)	43.20	13.50	40.60

CESSNA	CITATION X	63.50	19.00	72.25
CESSNA	CITATION SOVEREIGN	63.10	20.25	63.50
CESSNA	CITATION COLUBUS	80.00	27.60	77.00
CESSNA	441 CONQUEST	49.33	13.20	39.00
CESSNA	425 CORSAIR	44.10	12.60	35.88
CESSNA	421C GOLDEN EAGLE III	41.10	11.50	36.50
CESSNA	421B GOLDEN EAGLE	41.75	11.50	36.10
CESSNA	421 A & B	39.75	11.33	33.70
CESSNA	421 PRESSURIZED TR P	39.75	11.33	33.50
CESSNA	414A CHANCELLOR	44.10	11.50	36.33
CESSNA	MODEL 414	39.90	11.70	33.75
CESSNA	411A	39.75	11.33	33.50
CESSNA	406 CARAVAN	49.70	13.25	39.00
CESSNA	404 TITAN AMBASSADOR	46.33	13.25	39.50
CESSNA	402C BUS LINER II	44.10	11.45	36.33
CESSNA	402B BUS LINER	39.90	11.70	36.10
CESSNA	402A TURBO	39.90	11.60	35.70
CESSNA	401-A & B TURBO	39.75	11.60	33.70
CESSNA	400 CORVALIS TT	35.75	9.00	25.25

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.
 VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.

PAGE 4

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
CESSNA	350 CORVALIS	35.75	9.00	25.25
CESSNA	340A II PRESSURIZE TURBO	38.10	12.60	34.33
CESSNA	MODEL 340	38.10	12.50	34.33
CESSNA	325 II	38.10	12.55	34.33
CESSNA	320D, E & F SKYKNIGHT TRBO	36.75	10.33	29.50
CESSNA	320 A, B, C SKYKNIGHT	36.75	10.25	29.50
CESSNA	320 SKYKNIGHT	36.75	10.25	29.45
CESSNA	T 310 R II TURBO	36.90	10.70	32.00
CESSNA	T 310 Q II TURBO	36.75	10.33	29.50
CESSNA	T 310 P II TURBO	36.75	10.33	29.25
CESSNA	310 R II	36.90	10.70	31.90
CESSNA	310 Q	36.75	10.33	29.50
CESSNA	310 P	36.75	10.33	29.20
CESSNA	310 KLN FUEL INJ.	36.90	9.90	29.45

CESSNA	310 IJ FUEL INJ.	36.90	9.90	29.50
CESSNA	310 H FUEL INJ.	37.45	9.75	29.45
CESSNA	310 FG FUEL INJ.	36.75	9.75	29.45
CESSNA	310 CD FUEL INJ.	36.00	9.75	29.45
CESSNA	310 B	35.75	10.50	26.00
CESSNA	310 A	36.10	10.45	27.10
CESSNA	T303 CRUSADER	38.83	13.33	30.45
CESSNA	T337 G-P II, HP SKYMASTER	38.20	9.20	29.83
CESSNA	T337 H-II TURBO	38.20	9.20	29.83
CESSNA	T337 E&F SKYMASTR TURBO	38.20	9.33	29.83
CESSNA	T337 D SKYMASTER TURBO	38.00	9.33	29.83
CESSNA	T337 C SKYMASTER TURBO	38.00	9.33	29.83
CESSNA	T337 B SKYMASTER TURBO	38.00	9.33	29.10
CESSNA	337 G, H II SKYMASTER	38.20	9.20	29.75
CESSNA	337 F SKYMASTER	38.20	9.33	29.75
CESSNA	337 E SKYMASTER	38.20	9.33	29.75
CESSNA	337 D SKYMASTER	38.20	9.33	29.75
CESSNA	337 C SKYMASTER	38.20	9.33	29.75
CESSNA	337 B SKYMASTER	38.20	9.33	29.75
CESSNA	337 A SKYMASTER	38.20	9.33	29.75
CESSNA	336 SKYMASTER FIXED GE	38.00	9.33	29.58
CESSNA	P210N II PRESSURIZED	36.75	9.66	28.20
CESSNA	T210N TURBO CENTURION	36.75	9.66	28.20
CESSNA	T210 L & M TURBO	36.75	9.45	28.20
CESSNA	T210K TURBO CENTURION	36.75	9.66	28.25
CESSNA	T210G, H, J TURBO CENTURION	36.75	9.58	28.25
CESSNA	T210F TURBO CENTURION	36.58	9.75	28.00
CESSNA	210 K, M & N	36.75	9.66	28.20
CESSNA	210G, H, & J CENTURION	36.75	9.66	28.25
CESSNA	210 F CENTURION	36.58	9.75	28.00
CESSNA	210 D & E CENTURION	36.58	9.75	28.33
CESSNA	210 B, C TWO TEN	36.50	9.58	27.25
CESSNA	210 A TWO TEN	36.50	9.58	27.25
CESSNA	208 B CARAVAN I	52.20	14.20	41.75
CESSNA	208 CARAVAN I AMPHI.	52.20	14.20	38.90
CESSNA	208 CARAVAN I	52.20	14.83	37.58

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.
 VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH MODEL HANGAR IS APPROPRIATE.

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
CESSNA	T207 TURBO STATIONAIR	35.83	9.58	32.20
CESSNA	207 SKY WAGON	35.83	9.58	32.20
CESSNA	TU 206G II STATIONAIR	35.83	14.16	29.66
CESSNA	TU 206C,D,E & F II STATIONAIR	35.83	13.90	28.50
CESSNA	U206G II STATIONAIR 6	35.83	14.20	29.83
CESSNA	U206G FLOAT STATIONAIR	35.83	14.20	29.83
CESSNA	U206E & F FLOAT STATIONAIR	35.83	13.90	28.50
CESSNA	U206C & D FLOAT STATIONAIR	36.58	13.90	28.50
CESSNA	U206G II STATIONAIR 6	35.83	14.20	29.66
CESSNA	U206G STATIONAIR 6 F	35.83	14.10	29.66
CESSNA	U206 F & E STATIONAIR 6	35.83	13.90	28.50
CESSNA	U206D SKYWAGON	36.58	13.90	28.50
CESSNA	TU 206 E & F SKI	35.83	9.66	28.66
CESSNA	U206 F SKI	35.83	9.66	28.00
CESSNA	U206 E SKI SUPER SKYWAGON	35.83	9.66	28.66
CESSNA	TU TURBO 206G	35.83	9.33	28.25
CESSNA	TU TURBO 206E & F	35.83	9.58	28.75
CESSNA	TU 206 A, B & C	36.58	9.75	27.66
CESSNA	U206 F & G	35.83	9.33	28.25
CESSNA	U206 B, C & E SKYWAGON	36.58	9.58	28.66
CESSNA	U206A	36.58	9.75	27.75
CESSNA	206, U206 SUPER WAGON	36.58	9.75	17.75
CESSNA	TP 206A - E	36.58	9.66	28.25
CESSNA	P206 A - E	36.58	9.66	28.25
CESSNA	P206 SUPER SKY LANE	36.50	9.66	28.20
CESSNA	205A	36.50	9.58	27.25
CESSNA	195B	36.20	7.20	27.25
CESSNA	195A	36.20	7.20	27.25
CESSNA	MODEL 195	36.20	7.20	27.25
CESSNA	MODEL 190	36.20	7.20	27.25
CESSNA	T188C AG HUSKY	41.66	8.20	26.50
CESSNA	A188B AG TRUCK	41.66	8.20	25.90
CESSNA	A188 AG WAGON	40.75	8.20	25.90
CESSNA	A188 AG TRUCK RESTRICT	41.66	8.00	26.25
CESSNA	A188 AG TRUCK RESTRICT	40.75	8.00	26.25
CESSNA	188 AG PICKUP 73-75	40.75	7.83	25.25
CESSNA	188 AG PICKUP -1972	40.75	7.75	25.25
CESSNA	A188 A, B, AG WAGON	40.33	7.33	26.25
CESSNA	A185F AMPHIBIAN	35.83	12.66	27.50
CESSNA	A185F FLOAT	35.83	12.20	27.00
CESSNA	A185F SKI	35.83	7.75	27.83

CESSNA	A185F SKYWAGON	35.83	7.75	25.66
CESSNA	A185E SKYWAGON	36.20	7.75	25.50
CESSNA	185E SKYWAGON	36.00	7.50	25.50
CESSNA	R182 II RG TURBO SKYLANE	35.83	8.90	28.66
CESSNA	R182 RG SKYLANE	35.83	8.90	28.66
CESSNA	T-182Q II TURBO SKYLANE	35.83	9.25	28.41
CESSNA	182Q II >81	35.83	9.25	28.00
CESSNA	182Q II >81	35.83	9.25	28.00

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.
 VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.

PAGE 6

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
CESSNA	182N SKYLANE	36.20	8.75	28.10
CESSNA	182 J, K, L, M	36.20	8.10	28.41
CESSNA	182 E, F, G, H	36.20	9.00	27.33
CESSNA	182 A, B, C, D	36.00	8.41	26.00
CESSNA	MODEL 182	36.00	8.41	26.00
CESSNA	180K-78 AMP & FLOAT	35.83	12.66	27.50
CESSNA	180 SKI	35.83	7.75	27.83
CESSNA	180 J, K, LAND	35.83	7.75	25.66
CESSNA	180 G, H	36.00	7.50	25.66
CESSNA	180 A - F	36.00	7.45	26.00
CESSNA	MODEL 180	36.00	7.45	26.00
CESSNA	177RG CARDINAL	35.50	8.58	27.25
CESSNA	177A CARDINAL	35.58	9.10	27.00
CESSNA	MODEL 175	36.00	8.50	25.00
CESSNA	172 RG II CUTLESS	35.83	8.83	27.45
CESSNA	R172 K, HAWK XP	35.83	8.83	27.45
CESSNA	172 SKYHAWK	35.90	8.83	26.90
CESSNA	R172 SKYHAWK XP FLOATS	35.83	12.45	26.83
CESSNA	172 N-P HAWK 100 FLOATS	35.93	11.90	26.66
CESSNA	172 M FLOAT 74-76	35.83	9.90	27.00
CESSNA	172 I SKYHAWK	36.16	8.90	26.90
CESSNA	172D, E, F, G, H	36.20	8.90	26.50
CESSNA	172C	36.00	8.50	26.45
CESSNA	172A	36.00	8.45	25.00

DAHER (SOCATA)	TBM 700								
DAHER (SOCATA)	TBM 910		42.10	14.29	35.22				
DAHER (SOCATA)	TBM 940		42.10	14.29	35.22				
DAHER (SOCATA)	TBM 960		42.10	14.29	35.22				
DIAMOND	DA 20		35.90	7.20	23.50				
DIAMOND	DA40		39.20	6.50	26.45				
DIAMOND	DA 42 TWIN STAR		44.00	8.20	28.10				
DIAMOND	D-JET		37.50	11.60	35.10				
EXCALIBUR	800 CONV. TWIN BEACH		46.00	11.25	31.41				
ECLIPSE AVIATION	400E		36.00	8.80	29.00				
ECLIPSE AVIATION	300E		37.75	11.00	33.50				
EMBRAER	PHENOM 100		40.33	14.25	42.09				
EMBRAER	PHENOM 300		53.20	16.33	52.09				
EPIC	DYNASTY		43.00	12.50	35.80				
EPIC	LT		43.00	12.50	36.80				
EPIC	ESCAPE		36.30	11.70	33.30				
EPIC	VICTORY		36.30	10.70	33.33				
FALCON	MODEL 2000		63.41	22.90	63.10				
FALCON	MODEL 900		63.41	24.75	66.33				
FALCON	MODEL 50		63.41	22.90	60.75				
FALCON	C20		53.50	17.66	56.25				
FALCON	D20		53.50	17.66	56.25				
FALCON	MODEL 10		42.83	15.20	45.50				
GATES LEAR	MODEL 55		43.75	14.66	55.10				
GATES LEAR	MODEL 36A		39.50	12.25	48.66				
GATES LEAR	MODEL 36		36.50	12.25	48.66				
GATES LEAR	MODEL 35A		39.41	12.25	48.58				
GATES LEAR	MODEL 35		43.75	12.25	48.58				
GATES LEAR	MODEL 31		43.75	12.25	48.66				
GATES LEAR	29 LONGHORN		43.75	12.25	47.58				
GATES LEAR	28 LONGHORN		43.75	12.25	47.58				
GATES LEAR	25G		35.58	12.25	47.58				
GATES LEAR	25D, F		35.58	12.25	47.58				
GATES LEAR	25B		35.58	12.25	47.50				
GATES LEAR	25C		35.58	12.25	47.50				

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.
 VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.

PAGE 8

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
GATES LEAR	25B, C	35.50	12.50	47.50
GATES LEAR	24F	35.50	12.25	43.25
GATES LEAR	24E	35.50	12.25	43.25
GATES LEAR	24D	35.58	12.25	43.25
GATES LEAR	24C	35.50	12.50	42.25
GATES LEAR	24 TWIN JET	35.58	12.50	43.25
GATES LEAR	23 TWIN JET	35.58	12.00	43.16
GULFSTREAM	G IV	77.83	24.83	88.33
GULFSTREAM	G III	77.83	24.33	83.08
GULFSTREAM	G II	68.83	24.50	79.91
GULFSTREAM	G I	78.33	23.33	63.75
GULFSTREAM	100 JET PROP	52.08	14.91	42.91
GULFSTREAM	980 JET PROP	52.08	14.91	42.91
GULFSTREAM	690B I, II JET PROP	46.66	14.91	44.33
GULFSTREAM	840 JET PROP	52.08	14.91	42.91
GULFSTREAM	720 ALTI CRUISER	49.00	14.41	35.08
GULFSTREAM	685 PRESSURIZED	46.58	14.91	43.00
GULFSTREAM	681 HAWK TURBO COMMANDER	44.08	14.50	43.00
GULFSTREAM	680W TURBO II PROP JET	44.00	14.50	43.00
GULFSTREAM	680T PROP JET	49.50	14.50	41.25
GULFSTREAM	680 FLP PRESS. GRAND	49.50	14.75	41.25
GULFSTREAM	680 FLP COURSER	49.25	14.50	41.50
GULFSTREAM	680 FLP GRAND	49.50	14.50	41.25
GULFSTREAM	680F	49.41	14.41	35.08
GULFSTREAM	680E	49.00	14.41	35.08
GULFSTREAM	680 SUPER	44.08	14.41	35.08
GULFSTREAM	560F	49.41	14.41	35.08
GULFSTREAM	560E	49.00	14.41	35.08
GULFSTREAM	560A	44.08	14.41	35.08
GULFSTREAM	MODEL 560	44.08	14.41	35.41
GULFSTREAM	500S SHRIKE COMMANDER	49.08	14.50	36.83

GULFSTREAM	500U	49.91	14.50	35.08
GULFSTREAM	500B	49.41	14.75	35.08
GULFSTREAM	500A	49.41	14.41	35.08
GULFSTREAM	MODEL 500	49.00	14.41	35.08
GULFSTREAM	MODEL 520	44.08	14.41	35.41
GULFSTREAM	GA7 COUGAR TWIN	36.75	10.33	29.58
GULFSTREAM	114A GRAN TURISMO	32.75	8.41	25.08
GULFSTREAM	MODEL 114	32.75	8.41	25.08
GULFSTREAM	MODEL 114	32.75	8.41	25.08
GULFSTREAM	112TC, A ALPINE	35.58	8.41	25.08
GULFSTREAM	112B	35.58	8.41	25.08
GULFSTREAM	112A	32.16	8.41	24.83
GULFSTREAM	MODEL 112	32.16	8.41	24.83
GULFSTREAM	AA5B TIGER	31.50	7.58	22.00

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.

VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.

PAGE 9

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
GULFSTREAM	AA5B CHEETAH	31.50	7.50	22.00
GULFSTREAM	AA5 TRAVELER	31.41	8.00	22.00
GULFSTREAM	AA1C LYNX	24.41	7.50	19.16
GULFSTREAM	AA1 C, T-CAT	24.41	7.50	19.16
GULFSTREAM	TR-2AA1B	24.41	7.50	19.16
GULFSTREAM	AA1 YANKEE	24.41	6.66	19.25
GULFSTREAM	AA1B TRAINER	24.41	7.50	19.16
GULFSTREAM	AA1A TRAINER	24.41	7.50	19.16
GULFSTREAM	G164C-600 AG CAT	42.25	11.41	30.00
GULFSTREAM	G164B-600 AG CAT	42.25	11.00	25.58
GULFSTREAM	G164A-600 AG CAT	35.91	11.83	24.33
GULFSTREAM	G164B-450 AG CAT	42.25	11.00	25.58
GULFSTREAM	G164A-450 AG CAT	35.91	11.00	24.33
GULFSTREAM	G164A-300 AG CAT	35.66	10.75	24.33
GULFSTREAM	G164A-275 AG CAT	35.66	10.75	24.33
GULFSTREAM	G164A-245 AG CAT	35.66	10.75	24.33
GULFSTREAM	G164A-220 AG CAT	35.66	10.75	24.33

HAWKER	750 thru 900XL		54.30	18.10	51.20		
HONDA	HONDA JET		39.87	13.21	41.70		
ISRAEL	WESTWIND II		44.83	15.75	52.25		
ISRAEL	1124 WESTWIND I		44.66	15.75	52.25		
ISRAEL	CJ 1123		44.66	15.75	52.25		
ISRAEL	CJ 1121B COMMODORE JET		43.25	15.75	50.41		
ISRAEL	1121 JET COMMANDER		43.25	15.75	50.41		
KODIAK	100		45.00	14.70	33.10		
LAKE	LA-4 AMPHIBIAN		38.00	9.33	24.91		
LAKE	C-VI AMPHIBIAN		34.00	8.08	23.50		
LAKE	C-I AMPHIBIAN		34.00	8.08	23.50		
LAKE	LA-4 SEAPLANE		38.00	8.41	24.91		
LAKE	LA-4 TURBO LAKE		38.00	9.33	24.91		
LAKE	LA-4 200 BUCCANEER		38.00	9.33	24.91		
LEAR	23		35.60	43.25	12.60		
LEAR	24F		35.60	43.25	12.25		
LEAR	25D		35.60	43.25	12.25		
LEAR	28		43.80	47.60	12.25		
LEAR	31		43.80	48.70	12.25		
LEAR	C-21A		39.50	48.70	12.25		
LEAR	40		47.75	55.56	14.20		
LEAR	45		47.80	58.00	14.10		
LEAR	55		43.80	55.10	14.75		
LEAR	60		43.75	58.75	14.75		
DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.							
VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.							
PAGE 10							
MANUFACTURER	AIRCRAFT MODEL		AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH		
LOCKHEED	T-33		38.92	11.67	37.75		

LUSCOMBE	8F	35.00	6.25	20.00
LUSCOMBE	8E	34.58	6.08	19.66
LUSCOMBE	8A	34.58	6.08	19.66
MAULE	M-5 235C	30.83	6.33	23.50
MAULE	M-5 220C LUNAR ROCKET	30.83	6.33	23.16
MAULE	M-5 210 LUNAR ROCKET	30.83	6.33	22.75
MAULE	M-4 220C STRATA ROCKET	29.66	6.16	22.00
MAULE	M-4 210C ROCKET	29.66	6.16	22.00
MAULE	M-4 180C ASTRO ROCKET	29.66	6.16	22.50
MAULE	M-4, M-4C JETASEN	29.66	6.16	22.00
MITSUBISHI	MU-300 DIAMOND I	43.41	13.75	48.33
MITSUBISHI	MARQUISE MU-2B-60	39.16	13.66	39.41
MITSUBISHI	SOLITAIRE MU-2B-40	39.16	12.91	33.25
MITSUBISHI	MU-2M, MU-2P	39.16	12.91	33.25
MITSUBISHI	MU-2L, MU-2N	39.16	13.66	29.41
MITSUBISHI	MU-2K	39.16	12.91	33.25
MITSUBISHI	MU-2J	39.16	13.66	19.41
MITSUBISHI	MU-2G	39.16	13.66	39.41
MITSUBISHI	MU-2F	39.16	12.91	33.25
MITSUBISHI	MU-2B, MU-2D	39.16	13.00	33.25
MOONEY	M-22 PRESSURIZED	35.00	9.16	26.08
MOONEY	231 M20K TURBO	36.08	8.33	25.41
MOONEY	20J, 201	36.08	8.33	24.66
MOONEY	M-20F EXECUTIVE	36.08	8.33	24.00
MOONEY	M-20E CHAPARREL	35.00	8.33	23.16
MOONEY	M-20G STATESMAN	35.00	8.33	24.25
MOONEY	M-10 CABET	30.00	7.66	20.66
MOONEY	A2-A CABET	30.00	6.25	20.00
MOONEY	M-18 MITE	26.16	6.16	17.58
NAVON	H RANGER MASTER	34.75	8.50	27.41
NAVON	G, G-1 RANGER	34.41	8.41	27.41
NAVON	B	33.25	8.41	27.25
NAVON	A	33.25	8.41	27.25
NORTH AMERICAN	T-6	42.00	10.83	29.50
NORTH AMERICAN	T-28	40.10	12.67	33.00
NORTH AMERICAN	P-51 MUSTANG	37.00	13.67	32.25

PILATUS	PC XIII	45.25	13.58	45.83
PILATUS	PC 9	33.41	10.66	33.33
PILATUS	PC 7 TURBO TRAINER	34.08	10.50	32.08
PILATUS	PC 61, B2-H4	52.08	10.50	35.75

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.
 VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.

PAGE 11

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
PIPER	PA-47 PIPER JET	47.66	16.50	33.75
PIPER	PA24-1000 CHEYENNE IV	47.66	16.41	43.41
PIPER	PA24-720 CHEYENNE III	47.66	14.75	43.41
PIPER	PA31T-620 CHEYENNE II	42.66	12.81	36.81
PIPER	PA31T-620 CHEYENNE II	42.66	12.75	34.66
PIPER	PA31T-500 CHEYENNE I	40.66	12.75	34.66
PIPER	PA31 PRESS. NAVAJO	40.58	13.25	34.41
PIPER	PA31-350 CHIEFTAIN	40.66	13.00	34.58
PIPER	PA31-325 NAVAJO	40.66	13.75	32.58
PIPER	PA31-310 TURBO NAVAJO	40.66	13.00	32.58
PIPER	PA31-330 NAVAJO	40.50	13.00	32.50
PIPER	PA-602P AEROSTAR	36.50	12.08	34.75
PIPER	PA-601A AEROSTAR	34.16	12.08	34.83
PIPER	PA-23F TURBO AZTEC	34.33	10.08	31.16
PIPER	PA-23E TURBO AZTEC	37.16	10.25	31.16
PIPER	PA-23F AZTEC	34.33	10.08	31.16
PIPER	PA-23D, E AZTEC	37.16	10.25	31.16
PIPER	PA-23C, D TURBO AZTEC	37.16	10.25	30.16
PIPER	PA-23C AZTEC	37.16	10.25	30.16
PIPER	PA-23B AZTEC	37.08	10.20	27.58
PIPER	PA34-220T SENECA III	38.91	9.91	28.58
PIPER	PA34-220TC, R TURBO SENECA	38.91	9.91	28.58
PIPER	PA34-220TC, R SENECA	38.91	9.91	28.50
PIPER	PA34-200C, R SENECA	38.91	9.91	28.50
PIPER	PA44-180T TURBO SEMINOL	38.58	8.50	27.58
PIPER	PA44-180 SEMINOLE	38.58	8.50	27.58
PIPER	PA39 C, R TURBO TWN COMANCHE	36.66	8.16	25.16

PIPER	PA39 C,R TWIN COMANCHE	36.00	8.16	25.16
PIPER	PA30C TURBO TWIN COMANCHE	36.66	8.16	25.16
PIPER	PA30C TWIN COMANCHE	36.00	8.16	25.08
PIPER	PA-30B TURBO TWIN COMANCHE	36.66	7.25	25.16
PIPER	PA30B TWIN COMANCHE	36.00	7.25	25.16
PIPER	PA23-325 APACHE	37.08	10.25	27.58
PIPER	PA23-160G, H APACHE	37.08	9.50	27.33
PIPER	PA23-150 APACHE	37.08	9.50	27.33
PIPER	PA46-350P MALIBU MIRA	43.00	11.33	28.33
PIPER	PA46-310P MALIBU	43.00	11.33	28.83
PIPER	PA24-400 COMANCHE	36.00	7.08	25.66
PIPER	PA24-C260 COMANCHE	36.00	7.08	25.66
PIPER	PA24-260, B260	36.00	7.25	25.25
PIPER	PA24-250, COMANCHE	36.00	7.25	24.08
PIPER	PA24-180 COMANCHE	36.00	7.25	24.75
PIPER	PA32R-301T TURBO SARA.	36.16	8.50	28.33
PIPER	PA32R-301 SARATOGA	36.16	8.50	27.66
PIPER	PA32RT-300T TURBO LANCE	32.83	9.50	29.00

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.

VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPRRROPRIATE.

PAGE 12

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
PIPER	PA32R, RT II-300 LANCE	32.83	9.50	28.66
PIPER	PA32-301 TURBO SARATOG	36.16	8.16	28.16
PIPER	PA32-301 SARATOGA	36.16	8.16	27.66
PIPER	PA32-300	32.83	8.16	27.66
PIPER	PA32-300B, C, D, E	32.66	7.75	27.58
PIPER	PA32-260	32.66	8.16	27.58
PIPER	PA32-260 C, D, E	32.66	7.75	27.58
PIPER	PA28-236 DAKOTA	35.58	7.16	24.66
PIPER	PA28-201T TURBO DAKOTA	35.00	7.58	25.00
PIPER	PA28-235 PATHFINDER	32.00	7.41	24.08
PIPER	PA28-235 CHARGER	32.00	7.66	24.08

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
PIPER	PA18-135 SUPER CUB	35.25	6.58	22.41
PIPER	PA18-125 SUPER CUB	35.25	6.58	22.41
PIPER	PA18-95 SUPER CUB	35.25	6.58	22.41
PIPER	PA16 CLIPPER	29.16	6.16	20.08
PIPER	PA14 CRUISER	35.33	6.33	12.08
PIPER	PA12 SUPER CRUISER	35.33	6.75	22.75
PIPER	PA11	35.16	6.66	22.33
PIPER	J3 CUB	35.16	6.66	22.33
RALLYE	235 GT	31.91	9.16	23.75
RALLYE	100 GT	31.91	9.16	23.75
RALLYE	150 ST	31.91	9.16	23.75
RALLYE	100 SM/100 T	31.91	9.16	23.08
RANS	S-19LS	28.00	8.00	19.75
RANS	S-7S	29.25	6.30	23.25
ROCKWELL	MODEL 700	42.41	13.33	38.16
ROCKWELL	200 D	30.50	7.33	24.33
ROCKWELL	200 B	30.41	8.50	24.33
ROCKWELL	MODEL 200	30.41	8.41	24.41
ROCKWELL	100-180 LARK	35.00	10.08	24.75
ROCKWELL	100 DARTER	35.00	9.33	22.50
ROCKWELL	MODEL 100	35.00	9.33	22.50
ROCKWELL	A-9A SPARROW	35.00	9.33	23.50
ROCKWELL	A-9B QUAIL	34.75	7.58	23.50
ROCKWELL	A9, B1 AG COMMANDER	35.00	8.00	24.00
ROCKWELL	P51 MUSTANG	37.00	13.70	32.25
ROCKWELL	COMMANDER 112	35.60	8.50	25.00
ROCKWELL	COMMANDER 114	32.75	8.50	25.00
ROCKWELL	COMMANDER 116	35.75	8.50	25.00
SABERLINER	SABRE 75A	44.41	17.25	47.16
SABERLINER	SABRE 75	44.41	17.25	47.16
SABERLINER	SABRE 65	50.41	16.00	46.91
SABERLINER	SABRE 60	44.66	16.00	46.91

SABERLINER	SABRE 40A	44.33	16.00	43.75
SABERLINER	NA265 "40" SABERLINER 8	44.33	16.00	43.75
SOCATA	180GT	31.99	9.20	23.75
SOCATA	ST10	31.75	9.50	23.25
SOCATA	TB30	25.99	8.80	24.80
SOCATA	TB9	32.45	9.99	25.30
SOCATA	TB10	32.50	9.99	25.30
SOCATA	TB20	32.70	9.30	25.45
SOCATA	TBM850	41.65	14.25	34.99

DIMENSIONS ARE BASED ON AIRCRAFT MANUFACTURER SPECIFICATIONS.
 VERIFY YOUR AIRCRAFT DIMENSIONS TO DETERMINE WHICH HANGAR MODEL IS APPROPRIATE.

MANUFACTURER	AIRCRAFT MODEL	AIRCRAFT WING SPAN	TAIL HEIGHT	OVERALL LENGTH
STINSON	108-3	34.00	7.41	25.16
STINSON	108-1	34.00	7.41	25.16
SWEARINGEN	METRO II	46.25	16.66	59.33
SWEARINGEN	MERLIN IV, C	57.00	16.66	59.33
SWEARINGEN	MERLIN IV, A	46.25	16.66	59.33
SWEARINGEN	MERLIN III, C	46.25	16.83	42.16
SWEARINGEN	MERLIN III, B	46.25	16.83	42.16
SWEARINGEN	MERLIN III, A	46.25	16.83	42.16
SWEARINGEN	MERLIN II, B	45.83	14.33	40.08
SWEARINGEN	MERLIN II, A	45.83	14.33	40.08
SWIFT	GC-1B	29.25	6.08	20.75
TECNAM	P2006T	37.40	9.30	28.50
TECNAM	P200JR	28.20	7.50	21.70
TECNAM	P92JS	28.50	8.20	21.00
TECNAM	P2002JF	28.20	7.90	21.70
TECNAM	P2004 BRAVO	27.50	8.50	21.60
TECNAM	P200 SIERRA	28.20	8.00	21.07
TECNAM	P92 ECHO	28.50	8.20	21.00

